



Product certificate K46885/08

Issued 2022-05-01

Replaces K46885/07

Page 1 of 7

Eurotubi Press fitting system

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Eurotubi Europa S.r.l.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K774 "Compression fittings to tighten with matching clamping device" dated 02-10-2019.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28/11/0711

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company
Eurotubi Europa S.r.l.
Via Croce Rossa Italiana 12
20054 NOVA MILANESE
Italy
Tel. +39 (0) 362 365068
Fax +39 (0) 362 41099
info@eurotubieuropa.it
www.eurotubieuropa.it



**Certification process
consists of initial and
regular assessment of:**

- quality system
- product

Eurotubi Press fitting system

PRODUCT SPECIFICATION

The products mentioned below belong to this product certificate. The products indicated with * are delivered also with alternative O-rings.

S10 – Coupling - 2 x press

no. S10AB-LBP – 12 mm
 no. S10AC-LBP – 15 mm*
 no. S10AD-LBP – 18 mm*
 no. S10AE-LBP – 22 mm*
 no. S10AF-LBP – 28 mm*
 no. S10AG-LBP – 35 mm*
 no. S10AH-LBP – 42 mm
 no. S10AJ-LBP – 54 mm
 no. S10AK – 76,1 mm
 no. S10AL – 88,9 mm
 no. S10AM – 108 mm

S11 – Slip coupling – 2 x press

no. S11AB-LBP – 12 mm
 no. S11AC-LBP – 15 mm*
 no. S11AD-LBP – 18 mm
 no. S11AE-LBP – 22 mm*
 no. S11AF-LBP – 28 mm*
 no. S11AG-LBP – 35 mm*
 no. S11AH-LBP – 42 mm
 no. S11AJ-LBP – 54 mm
 no. S11AK – 76,1 mm
 no. S11AL – 88,9 mm
 no. S11AM – 108 mm

S20 - Elbow 90° - 2 x press

no. S20AC-LBP – 15 mm*
 no. S20AD-LBP – 18 mm
 no. S20AE-LBP – 22 mm*
 no. S20AF-LBP – 28 mm*
 no. S20AG-LBP – 35 mm*
 no. S20AH-LBP – 42 mm
 no. S20AJ-LBP – 54 mm
 no. S20ZG-LBP – 35 mm (short version)*
 no. S20ZH-LBP – 42 mm (short version)
 no. S20ZJ-LBP – 54 mm (short version)
 no. S20ZK – 76,1 mm
 no. S20ZL – 88,9 mm
 no. S20ZM – 108 mm

S34 – Elbow adaptor 90° – plain end x female thread

no. S34PC – 15 mm x Rp½

S12 – MF reducer – plain end x press

no. S12CB-LBP – 15 x 12 mm
 no. S12DB-LBP – 18 x 12 mm
 no. S12DC-LBP – 18 x 15 mm*
 no. S12EB-LBP – 22 x 12 mm
 no. S12EC-LBP – 22 x 15 mm*
 no. S12ED-LBP – 22 x 18 mm*
 no. S12FC-LBP – 28 x 15 mm*
 no. S12FD-LBP – 28 x 18 mm
 no. S12FE-LBP – 28 x 22 mm*
 no. S12GC-LBP – 35 x 15 mm*
 no. S12GD-LBP – 35 x 18 mm
 no. S12GE-LBP – 35 x 22 mm*
 no. S12GF-LBP – 35 x 28 mm*
 no. S12HC-LBP – 42 x 15 mm*
 no. S12HD-LBP – 42 x 18 mm
 no. S12HE-LBP – 42 x 22 mm*
 no. S12HF-LBP – 42 x 28 mm*
 no. S12HG-LBP – 42 x 35 mm*
 no. S12JC-LBP – 54 x 15 mm*
 no. S12JD-LBP – 54 x 18 mm
 no. S12JE-LBP – 54 x 22 mm*
 no. S12JF-LBP – 54 x 28 mm*
 no. S12JG-LBP – 54 x 35 mm*
 no. S12JH-LBP – 54 x 42 mm
 no. S12KH-LBP – 76,1 x 42 mm
 no. S12KJ-LBP – 76,1 x 54 mm
 no. S12LJ-LBP – 88,9 x 54 mm
 no. S12LK – 88,9 x 76,1 mm
 no. S12MJ-LBP – 108 x 54 mm
 no. S12MK – 108 x 76,1 mm
 no. S12ML – 108 x 88,9 mm

S21 – MF elbow 90° - press x plain end

no. S21AB-LBP – 12 mm
 no. S21AC-LBP – 15 mm*
 no. S21AD-LBP – 18 mm
 no. S21AE-LBP – 22 mm*
 no. S21AF-LBP – 28 mm*
 no. S21AG-LBP – 35 mm*
 no. S21AH-LBP – 42 mm
 no. S21AJ-LBP – 54 mm
 no. S21ZG-LBP – 35 mm (short version)
 no. S21ZH-LBP – 42 mm (short version)
 no. S21ZJ-LBP – 54 mm (short version)
 no. S21ZK – 76,1 mm
 no. S21ZL – 88,9 mm
 no. S21ZM – 108 mm

Eurotubi Press fitting system

S22 - Elbow 45° - 2 x press

no. S22AB-LBP – 12 mm
 no. S22AC-LBP – 15 mm
 no. S22AD-LBP – 18 mm
 no. S22AE-LBP – 22 mm
 no. S22AF-LBP – 28 mm
 no. S22AG-LBP – 35 mm
 no. S22AH-LBP – 42 mm
 no. S22AJ-LBP – 54 mm
 no. S22ZG-LBP – 35 mm (short version)*
 no. S22ZH-LBP – 42 mm (short version)
 no. S22ZJ-LBP – 54 mm (short version)
 no. S22ZK – 76,1 mm
 no. S22ZL – 88,9 mm
 no. S22ZM – 108 mm

S80 – Female adaptor - press x female thread

no. S80PB-LBP – 12 mm x Rp $\frac{1}{2}$
 no. S80PC-LBP – 15 mm x Rp $\frac{1}{2}$ *
 no. S80QC-LBP – 15 mm x Rp $\frac{3}{4}$ *
 no. S80PD-LBP – 18 mm x Rp $\frac{1}{2}$
 no. S80QD-LBP – 18 mm x Rp $\frac{3}{4}$
 no. S80PE-LBP – 22 mm x Rp $\frac{1}{2}$ *
 no. S80QE-LBP – 22 mm x Rp $\frac{3}{4}$ *
 no. S80RE-LBP – 22 mm x Rp1*
 no. S80QF-LBP – 28 mm x Rp $\frac{3}{4}$ *
 no. S80RF-LBP – 28 mm x Rp1*
 no. S80SF-LBP – 28 mm x Rp1 $\frac{1}{4}$ *
 no. S80RG-LBP – 35 mm x Rp1*
 no. S80SG-LBP – 35 mm x Rp1 $\frac{1}{4}$ *
 no. S80TG-LBP – 35 mm x Rp1 $\frac{1}{2}$ *
 no. S80SH-LBP – 42 mm x Rp1 $\frac{1}{4}$
 no. S80TH-LBP – 42 mm x Rp1 $\frac{1}{2}$
 no. S80TJ-LBP – 54 mm x Rp1 $\frac{1}{2}$
 no. S80VJ-LBP – 54 mm x Rp2

S82 - 90° female threaded adaptor – press x female thread

no. S82PC-LBP – 15 mm x Rp $\frac{1}{2}$ *
 no. S82PD-LBP – 18 mm x Rp $\frac{1}{2}$
 no. S82QE-LBP – 22 mm x Rp $\frac{3}{4}$ *
 no. S82RF-LBP – 28 mm x Rp1*
 no. S82SG-LBP – 35 mm x Rp1 $\frac{1}{4}$

S85 - 45° male threaded adaptor - press x male thread

no. S85PC-LBP – 15 mm x R $\frac{1}{2}$ *
 no. S85PD-LBP – 18 mm x R $\frac{1}{2}$
 no. S85QE-LBP – 22 mm x R $\frac{3}{4}$ *

S30 – 90° female angle adaptor – press x female thread

no. S30PB-LBP – 12 mm x Rp $\frac{1}{2}$
 no. S30PC-LBP – 15 mm x Rp $\frac{1}{2}$ *

S23 – MF elbow 45° - press x plain end

no. S23AB-LBP – 12 mm
 no. S23AC-LBP – 15 mm*
 no. S23AD-LBP – 18 mm
 no. S23AE-LBP – 22 mm*
 no. S23AF-LBP – 28 mm*
 no. S23AG-LBP – 35 mm*
 no. S23AH-LBP – 42 mm
 no. S23AJ-LBP – 54 mm
 no. S23ZG-LBP – 35 mm (short version)
 no. S23ZH-LBP – 42 mm (short version)
 no. S23ZJ-LBP – 54 mm (short version)
 no. S23ZK – 76,1 mm
 no. S23ZL – 88,9 mm
 no. S23ZM – 108 mm

S81 – Male adaptor – press x male thread

no. S81PB-LBP – 12 mm x R $\frac{1}{2}$
 No. S81NC-LBP – 15 mm x R $\frac{3}{8}$ *
 no. S81PC-LBP – 15 mm x R $\frac{1}{2}$ *
 no. S81QC-LBP – 15 mm x R $\frac{3}{4}$ *
 no. S81PD-LBP – 18 mm x R $\frac{1}{2}$
 no. S81QD-LBP – 18 mm x R $\frac{3}{4}$
 no. S81PE-LBP – 22 mm x R $\frac{1}{2}$ *
 no. S81QE-LBP – 22 mm x R $\frac{3}{4}$ *
 no. S81RE-LBP – 22 mm x R1*
 no. S81QF-LBP – 28 mm x R $\frac{3}{4}$ *
 no. S81RF-LBP – 28 mm x R1*
 no. S81SF-LBP – 28 mm x R1 $\frac{1}{4}$ *
 no. S81RG-LBP – 35 mm x R1*
 no. S81SG-LBP – 35 mm x R1 $\frac{1}{4}$ *
 no. S81TG-LBP – 35 mm x R1 $\frac{1}{2}$ *
 no. S81SH-LBP – 42 mm x R1 $\frac{1}{4}$
 no. S81TH-LBP – 42 mm x R1 $\frac{1}{2}$
 no. S81TJ-LBP – 54 mm x R1 $\frac{1}{2}$
 no. S81VJ-LBP – 54 mm x R2
 no. S81XK – 76,1 mm x R2 $\frac{1}{2}$
 no. S81YL – 88,9 mm x R3
 no. S81NC – 15 mm x R $\frac{3}{8}$

S83 - 90° male threaded adaptor – press x male thread

no. S83PC-LBP – 15 mm x Rp $\frac{1}{2}$ *
 no. S83PD-LBP – 18 mm x Rp $\frac{1}{2}$
 no. S83QE-LBP – 22 mm x Rp $\frac{3}{4}$ *
 no. S83RF-LBP – 28 mm x Rp1*
 no. S83SG-LBP – 35 mm x Rp1 $\frac{1}{4}$ *
 no. S83TH-LBP – 42 mm x R1 $\frac{1}{2}$
 no. S83VJ-LBP – 54 mm x R2

S31 – 90° male angle adaptor – press x male thread

no. S31PB-LBP – 12 mm x Rp $\frac{1}{2}$
 no. S31PC-LBP – 15 mm x Rp $\frac{1}{2}$ *
 no. S31QC-LBP – 15 mm x Rp $\frac{3}{4}$ ***
 no. S31PD-LBP – 18 mm x Rp $\frac{1}{2}$
 no. S31QD-LBP – 18 mm x Rp $\frac{3}{4}$
 no. S31QE-LBP – 22 mm x Rp $\frac{3}{4}$ *
 no. S31RF-LBP – 28 mm x Rp1*
 no. S31SG-LBP – 35 mm x Rp1 $\frac{1}{4}$ *
 no. S31TH-LBP – 42 mm x R1 $\frac{1}{2}$
 no. S31VJ-LBP – 54 mm x R2

Eurotubi Press fitting system

- no. S30PD-LBP – 18 mm x Rp $\frac{1}{2}$
- no. S30QE-LBP – 22 mm x Rp $\frac{3}{4}$ *
- no. S30RF-LBP – 28 mm x Rp1*
- no. S30SG-LBP – 35 mm x Rp $1\frac{1}{4}$ *

**S32 – 90° female elbow with wall plate
press x female thread (ISO228)**

- no. S32PB – 12 x G $\frac{1}{2}$
- no. S32PC – 15 x G $\frac{1}{2}$ *
- no. S32PD – 18 x G $\frac{1}{2}$ *
- no. S32QE – 22 x G $\frac{3}{4}$ *

S50 - Plug – press

- no. S50AC – 15 mm*
- no. S50AD – 18 mm
- no. S50AE – 22 mm*
- no. S50AF – 28 mm*
- no. S50AG – 35 mm*
- no. S50AH – 42 mm
- no. S50AJ – 54 mm
- no. S50AK – 76,1 mm
- no. S50AL – 88,9 mm
- no. S50AM – 108 mm

S41 – Reducing tee – 3 x press

- no. S41BC-LBP – 15 x 12 x 15 mm
- no. S41BD-LBP – 18 x 12 x 18 mm
- no. S41CD-LBP – 18 x 15 x 18 mm*
- no. S41BE-LBP – 22 x 12 x 22 mm
- no. S41CE-LBP – 22 x 15 x 22 mm*
- no. S41DE-LBP – 22 x 18 x 22 mm*
- no. S41CF-LBP – 28 x 15 x 28 mm
- no. S41DF-LBP – 28 x 18 x 28 mm*
- no. S41EF-LBP – 28 x 22 x 28 mm*
- no. S41CG-LBP – 35 x 15 x 35 mm*
- no. S41DG-LBP – 35 x 18 x 35 mm*
- no. S41EG-LBP – 35 x 22 x 35 mm*
- no. S41FG-LBP – 35 x 28 x 35 mm*
- no. S41CH-LBP – 42 x 15 x 42 mm*
- no. S41DH-LBP – 42 x 18 x 42 mm
- no. S41EH-LBP – 42 x 22 x 42 mm*
- no. S41FH-LBP – 42 x 28 x 42 mm*
- no. S41GH -LBP – 42 x 35 x 42 mm*
- no. S41CJ-LBP – 54 x 15 x 54 mm*
- no. S41DJ-LBP – 54 x 18 x 54 mm
- no. S41EJ-LBP – 54 x 22 x 54 mm*
- no. S41FJ-LBP – 54 x 28 x 54 mm*
- no. S41GJ-LBP – 54 x 35 x 54 mm*
- no. S41HJ-LBP – 54 x 42 x 54 mm
- no. S41EK-LBP – 76,1 x 22 x 76,1 mm*
- no. S41FK -LBP – 76,1 x 28 x 76,1 mm*
- no. S41GK-LBP – 76,1 x 35 x 76,1 mm*
- no. S41HK-LBP – 76,1 x 42 x 76,1 mm
- no. S41JK-LBP – 76,1 x 54 x 76,1 mm
- no. S41EL-LBP – 88,9 x 22 x 88,9 mm*
- no. S41FL-LBP – 88,9 x 28 x 88,9 mm*
- no. S41GL -LBP – 88,9 x 35 x 88,9 mm*
- no. S41HL-LBP – 88,9 x 42 x 88,9 mm
- no. S41JL-LBP – 88,9 x 54 x 88,9 mm

**S33 – 90° female elbow with wall plate (long)
press x female thread**

- no. S33PC-LBP – 15 x G $\frac{1}{2}$ *
- no. S33PD-LBP – 18 x G $\frac{1}{2}$
- no. S33QE-LBP – 22 x G $\frac{3}{4}$ *

S40 – Equal tee – 3 x press

- no. S40AB-LBP – 12mm
- no. S40AC-LBP – 15 mm*
- no. S40AD-LBP – 18 mm
- no. S40AE-LBP – 22 mm*
- no. S40AF-LBP – 28 mm*
- no. S40AG-LBP – 35 mm*
- no. S40AH-LBP – 42 mm
- no. S40AJ-LBP – 54 mm
- no. S40AK – 76,1 mm
- no. S40AL – 88,9 mm
- no. S40AM – 108 mm

S42 – Female tee threaded adaptor – press x female x press

- No. S42NB-LBP – 12 x Rp $\frac{3}{8}$ x 12 mm
- no. S42PC-LBP – 15 x Rp $\frac{1}{2}$ x 15 mm*
- no. S42PD-LBP – 18 x Rp $\frac{1}{2}$ x 18 mm
- no. S42QD-LBP – 18 x Rp $\frac{3}{4}$ x 18 mm
- no. S42PE-LBP – 22 x Rp $\frac{1}{2}$ x 22 mm*
- no. S42QE-LBP – 22 x Rp $\frac{3}{4}$ x 22 mm*
- no. S42PF-LBP – 28 x Rp $\frac{1}{2}$ x 28 mm*
- no. S42QF-LBP – 28 x Rp $\frac{3}{4}$ x 28 mm*
- no. S42RF-LBP – 28 x Rp1 x 28 mm*
- no. S42PG-LBP – 35 x Rp $\frac{1}{2}$ x 35 mm*
- no. S42QG-LBP – 35 x Rp $\frac{3}{4}$ x 35 mm*
- no. S42SG -LBP – 35 x Rp $1\frac{1}{4}$ x 35 mm*
- no. S42PH-LBP – 42 x Rp $\frac{1}{2}$ x 42 mm
- no. S42QH-LBP – 42 x Rp $\frac{3}{4}$ x 42 mm
- no. S42TH-LBP – 42 x Rp $1\frac{1}{2}$ x 42 mm
- no. S42PJ-LBP – 54 x Rp $\frac{1}{2}$ x 54 mm
- no. S42QJ-LBP – 54 x Rp $\frac{3}{4}$ x 54 mm
- no. S42VJ-LBP – 54 x Rp2 x 54 mm
- no. S42QK – 76,1 x Rp $\frac{3}{4}$ x 76,1 mm
- no. S42VK – 76,1 x Rp2 x 76,1 mm
- no. S42QL – 88,9 x Rp $\frac{3}{4}$ x 88,9 mm
- no. S42VL – 88,9 x Rp2 x 88,9 mm
- no. S42QM – 108 x Rp $\frac{3}{4}$ x 108 mm
- no. S42VM – 108 x Rp2 x 108 mm

S43 – Tee with male thread

- no. S43PC-LBP – 15 x R $\frac{1}{2}$ x 15 mm*
- no. S43PD-LBP – 18 x R $\frac{1}{2}$ x 18 mm
- no. S43QE-LBP – 22 x R $\frac{3}{4}$ x 22 mm*
- no. S43RF-LBP – 28 x R1 x 28 mm*
- no. S43SG-LBP – 35 x R $1\frac{1}{4}$ x 35 mm*

Eurotubi Press fitting system

no. S41KL – 88,9 x 76,1 x 88,9 mm
 no. S41EM-LBP – 108 x 22 x 108 mm*
 no. S41FM-LBP – 108 x 28 x 108 mm*
 no. S41GM-LBP – 108 x 35 x 108 mm*
 no. S41HM-LBP – 108 x 42 x 108 mm
 no. S41JM-LBP – 108 x 54 x 108 mm
 no. S41KM – 108 x 76,1 x 108 mm
 no. S41LM – 108 x 88,9 x 108 mm

S60 – Valve connector with swivel nut - press x swivel nut

no. S60QC – 15 mm x G $\frac{3}{4}$ (brass swivel nut)*
 no. S60SC – 15 mm x G1 $\frac{1}{4}$ (brass swivel nut)*
 no. S60QD – 18 mm x G $\frac{3}{4}$ (brass swivel nut)
 no. S60RE – 22 mm x G1 (brass swivel nut)*
 no. S60SF – 28 mm x G1 $\frac{1}{4}$ (brass swivel nut)*
 no. S60TF – 28 mm x G1 $\frac{1}{2}$ (brass swivel nut)*
 no. S60TG – 35 mm x G1 $\frac{1}{2}$ (brass swivel nut)*
 no. S60UH – 42 mm x G1 $\frac{3}{4}$ (brass swivel nut)
 no. S60WJ – 54 mm x G2 $\frac{3}{8}$ (brass swivel nut)

S64 – Straight union with swivel nut - press x male thread

no. S64PC – 15 mm x R $\frac{1}{2}$ (brass swivel nut)*
 no. S64QC – 15 mm x R $\frac{3}{4}$ (brass swivel nut)*
 no. S64PD – 18 mm x R $\frac{1}{2}$ (brass swivel nut)
 no. S64QD – 18 mm x R $\frac{3}{4}$ (brass swivel nut)
 no. S64PE – 22 mm x R $\frac{1}{2}$ (brass swivel nut)*
 no. S64QE – 22 mm x R $\frac{3}{4}$ (brass swivel nut)*
 no. S64RE – 22 mm x R1 (brass swivel nut)*
 no. S64RF – 28 mm x R1 (brass swivel nut)*
 no. S64SG – 35 mm x R1 $\frac{1}{4}$ (brass swivel nut)*
 no. S64TH – 42 mm x R1 $\frac{1}{2}$ (brass swivel nut)
 no. S64VJ – 54 mm x R2 (brass swivel nut)

S54 and S55 – Flanged joint – press

no. S55AC-LBP – 15 mm*
 no. S54AC-LBP – 15 mm (flange diameter)*
 no. S55AD-LBP – 18 mm
 no. S54AD-LBP – 18 mm (flange diameter)
 no. S55AE-LBP – 22 mm*
 no. S54AE-LBP – 22 mm (flange diameter)*
 no. S54AF-LBP – 28 mm*
 no. S54AG-LBP – 35 mm*
 no. S54AH-LBP – 42 mm
 no. S54AJ-LBP – 54 mm

S71 - 75° Elbow with plain ends

no. S71AC – 15 mm
 no. S71AD – 18 mm
 no. S71AE – 22 mm
 no. S71AF – 28 mm
 no. S71AG – 35 mm
 no. S71AH – 42 mm
 no. S71AJ - 54 mm
 no. S71AK – 76,1 mm
 no. S71AL – 88,9 mm
 no. S71AM – 108 mm

S74 – 30° elbow with plain ends – plain ends

no. S74AF – 28 mm
 no. S74AG – 35 mm

S52 – Flanged adaptor PN 16

no. S52AC – 15 mm*
 no. S52AD – 18 mm
 no. S52AE – 22 mm*
 no. S52AF – 28 mm*
 no. S52AG – 35 mm*
 no. S52AH – 42 mm
 no. S52AJ – 54 mm
 no. S52AK – 76,1 mm
 no. S52AL – 88,9 mm
 no. S52AM – 108 mm

S48 – Misaligned tee – press x female thread x press

no. S48PC-LBP – 15 x G $\frac{1}{2}$ *
 no. S48PD-LBP – 18 x G $\frac{1}{2}$

S36 – Double tap connector 90°/90° with female thread

no. S36PC-LBP – 15 x Rp $\frac{1}{2}$ *

S62 – Straight union brass swivel nut - press x female thread

no. S62PC – 15 mm x Rp $\frac{1}{2}$ (brass swivel nut)*
 no. S62QC – 15 mm x Rp $\frac{3}{4}$ (brass swivel nut)*
 no. S62PD – 18 mm x Rp $\frac{1}{2}$ (brass swivel nut)
 no. S62QD – 18 mm x Rp $\frac{3}{4}$ (brass swivel nut)
 no. S62QE – 22 mm x Rp $\frac{3}{4}$ (brass swivel nut)*
 no. S62RE – 22 mm x Rp1 (brass swivel nut)*
 no. S62RF – 28 mm x Rp1 (brass swivel nut)*
 no. S62SG – 35 mm x Rp1 $\frac{1}{4}$ (brass swivel nut)*
 no. S62TH – 42 mm x Rp1 $\frac{1}{2}$ (brass swivel nut)
 no. S62VJ – 54 mm x Rp2 (brass swivel nut)

S66 – Double valve connector with swivel nut - press x press

no. S66QC – 15 mm x G $\frac{3}{4}$ (brass swivel nut)*
 no. S66QD – 18 mm x G $\frac{3}{4}$ (brass swivel nut)
 no. S66RE – 22 mm x G1 (brass swivel nut)*
 no. S66SF – 28 mm x G1 $\frac{1}{4}$ (brass swivel nut)*
 no. S66TG – 35 mm x G1 $\frac{1}{2}$ (brass swivel nut)*
 no. S66UH – 42 mm x G1 $\frac{3}{4}$ (brass swivel nut)
 no. S66WJ – 54 mm x G2 $\frac{3}{8}$ (brass swivel nut)

S70 – 90° elbow with plain ends - plain ends

no. S70AC – 15 mm
 no. S70AD – 18 mm
 no. S70AE – 22 mm
 no. S70AF – 28 mm
 no. S70AG – 35 mm
 no. S70AH – 42 mm
 no. S70AJ – 54 mm
 no. S70AK – 76,1 mm
 no. S70AL – 88,9 mm
 no. S70AM – 108 mm

S73 – 45° elbow with plain ends – plain ends

no. S73AK – 76,1 mm
 no. S73AL – 88,9 mm

Eurotubi Press fitting system

no. S74AH – 42 mm
 no. S74AJ – 54 mm
 no. S74AK – 76,1 mm
 no. S74AL – 88,9 mm
 no. S74AM – 108 mm
 no. S74AC – 15 mm
 no. S74AD – 18 mm
 no. S74AE – 22 mm

S72 – 60° elbow with plain ends – plain ends

no. S72AF – 28 mm
 no. S72AG – 35 mm
 no. S72AH – 42 mm
 no. S72AJ – 54 mm
 no. S72AC – 15 mm
 no. S72AD - 18 mm
 no. S72AE – 22 mm
 no. S72AK - 76,1 mm
 no. S72AL - 88,9 mm
 no. S72AM – 108 mm

S77 – Pre-formed pipe bridge – plain ends

no. S77AC – 15 mm
 no. S77AD – 18 mm
 no. S77AE – 22 mm
 no. S77AF – 28 mm

S61 – Adaptor with union nut

no. S61SC – G1 ¼ x 15 mm*
 no. S61QD – G ¾ x 18 mm
 no. S61SF - G1 ¼ x 18 mm*
 no. S61TF - G1 ½ x 28 mm*
 no. S61TG – G1½ x 35 mm *
 no. S61UH - G1 ¾ x 42 mm
 no. S61WJ - G2 ¾ x 54 mm
 no. S61QC – 15 mm x G¾ (Stainless steel swivel nut)*
 no. S61RE – 22 mm x G1 (Stainless steel swivel nut)*

S65 – Adaptor with male thread

no. S65PC -15 mm x R ½*
 no. S65QC – 15 mm x R ¾*
 no. S65PD – 18 mm x R ½
 no. S65QD – 18 mm x R ¾
 no. S65PE - 22 mm x R ½*
 no. S65QE – 22 mm x R ¾*
 no. S65RE – 22 mm x R 1"*
 no. S65RF – 28 mm x R 1"*
 no. S65SG – 35 mm x R 1 ¼*
 no. S65TH – 42 mm x R 1 ½
 no. S65VJ – 54 mm x R 2"

no. S73AM – 108 mm
 no. S73AC – 15 mm
 no. S73AD – 18 mm
 no. S73AE – 22 mm
 no. S73AF – 28 mm
 no. S73AG – 35 mm
 no. S73AH - 42 mm
 no. S73AJ – 54 mm

S75 – 15° elbow with plain ends – plain ends

no. S75AF – 28 mm
 no. S75AG – 35 mm
 no. S75AH – 42 mm
 no. S75AJ – 54 mm
 no. S75AK – 76,1 mm
 no. S75AL – 88,9 mm
 no. S75AM – 108 mm
 no. S75AC – 15 mm
 no. S75AD – 18 mm
 no. S75AE – 22 mm

S68 – Straight union with press on both ends, swivel nut

no. S68QC - G ¾ x 15 mm*
 no. S68QD - G ¾ x 18 mm
 no. S68RE - G1" x 22 mm*
 no. S68SF - G1 ¼ x 28 mm*
 no. S68TG - G1 ½ x 35 mm*
 no. S68UH - G1 ¾ x 42 mm
 no. S68WJ - G2 ¾ x 54 mm

S76 – Pipe bridge – plain ends

no. S76AC – 15 mm
 no. S76AD – 18 mm
 no. S76AE – 22 mm
 no. S76AF – 28 mm

S63 – adaptor with female thread

no. S63PC – 15 mm x Rp ½ *
 no. S63QC – 15 mm x Rp ¾ *
 no. S63PD – 18 mm x Rp ½
 no. S63QD – 18 mm x Rp ¾
 no. S63QE – 22 mm x Rp ¾ *
 no. S63RE – 22 mm x Rp 1" *
 no. S63RF – 28 mm x Rp 1" *
 no. S63SG – 35 mm x Rp 1¼ *
 no. S63TH - 42 mm x Rp 1 ½
 no. S63VJ – 54 mm x Rp 2"

Eurotubi Press fitting system

Fitness for contact with drinking water





This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" dated 01-07-2017 ("Materials and chemicals in the supply of drinking water and warm tap water Regulation"), published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.


MARKING

The Kiwa®-mark products are marked with the word mark "KIWA"  or, on very small fittings only, the abbreviated word mark  or  or .

The fittings shall be provided with at least the following marks:

- manufacturer's name, trade name or logo;
- nominal diameter.

The marking can also be applied on the package. The smallest packaging unit of the fittings (maximum of 20 pieces per package) must be provided with at least the following information:

- the word mark "KIWA" together with  ;
- manufacturer's name or trade name;
- nominal diameter.

The package shall be completely sealed and protected against the penetration of moisture.

Method of marking:

- non-erasable;
- visible after assemble.

APPLICATION AND USE

The products are designed to be used as being a tensile connection in conduit pipe systems for cold and warm water. The compression fittings suited for a working pressure up to 1000 kPa and a temperature of maximum 90°C. The connections can be made with steel pipes according to the Kiwa evaluation guideline BRL-K762 and/or copper pipes in accordance with BRL-K760 with the quality "hard" or "half hard".

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Eurotubi Europa S.r.l.

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.